
Urban Testbed Initiative

Tim Dasey
MIT Lincoln Laboratory
(781) 981-1903
timd@ll.mit.edu

3 April 2001

MS-15433

This work was sponsored under Air Force contract F19628-00-C-0002. The views expressed are those of the Author and do not reflect official policy or position of the United States Government.

50
years




Report Documentation Page

Report Date 03APR2002	Report Type N/A	Dates Covered (from... to) 03APR2002 - 04APR2002
Title and Subtitle Urban Testbed Initiative	Contract Number F19628-00-C-0002	
	Grant Number	
	Program Element Number	
Author(s) Dasey, Tim	Project Number	
	Task Number	
	Work Unit Number	
Performing Organization Name(s) and Address(es) MIT Lincoln Laboratory	Performing Organization Report Number	
Sponsoring/Monitoring Agency Name(s) and Address(es) Air Force ESC/XPK (Richard Axtell) Hanscom AFB, MA 01731	Sponsor/Monitor's Acronym(s)	
	Sponsor/Monitor's Report Number(s)	
Distribution/Availability Statement Approved for public release, distribution unlimited		
Supplementary Notes Workshop paper from the New England Bioterrorism Preparedness Workshop held 3-4 april 2002 at MIT Lincoln Laboratory, Lexington, MA, The original document contains color images.		
Abstract		
Subject Terms		
Report Classification unclassified	Classification of this page unclassified	
Classification of Abstract unclassified	Limitation of Abstract SAR	
Number of Pages 19		




Outline

- **Thoughts on Urban Biodefense**
- **Importance of Testbeds**
- **MIT LL Urban Testbed Initial Approach**
- **MBTA subway experiments**
- **Algorithmic approach**
- **Future Work**



Challenges Associated with Civilian Biodefense


- **Any high-density site (city, airport, facility, building) represents a potential target**
- **Population to be protected is diverse (age, mobility, health)**
- **No environmental sensing systems will be tolerated that have high false negative or false positive rates**
 - **If they alarm too much or miss events, they will be ignored**
- **Current clinical diagnostic technologies and medical infrastructure are not suited to rapid detection of bioagent events**
 - **Advanced diagnostics (e.g., PCR) use is rare, even in large city hospitals**
 - **No medical reporting systems are in use that have real-time detection of infectious disease patterns as their objective**



Biodefense Components

Homeland Biodefense

Numerous relationships between portions of this hierarchy are not shown.




Biodefense development must be multi-faceted.



Needed Biodefense Investments

- **Point-of-care and public health not well integrated**
 - Health care system is the current detector
- **System (multi-sensor) environmental monitoring development**
 - Focus has been on basic technology and devices
- **Characterization of environments of high-threat facilities**
 - Sensor technology not universally applicable
 - Helps to set requirements
- **Large-scale urban protection**
 - Sparse sampling/sensing
 - Low probability event with catastrophic consequences (akin to nuclear detonation)
- **Red-teaming**




Environmental Monitors

- **DoD environmental monitors designed for outdoor force protection**
 - High sensitivity preference
 - Current cost prohibits mass-production
 - Unproven performance in urban or indoor areas where air is filled with interferents
- **Urban Civil Protection has markedly different requirements from military use**
 - Low false alert rate and low cost a priority
 - › Lower sensitivity partial solution may be preferred
 - Wide variation in environments (e.g. stadium vs. subway)
 - › Densely populated areas add to natural biological interferents
 - › Airflow, HVAC are important design considerations




BAWS III Background Measurement Campaign





Testbeds as an Important Development Tool




Testbeds are needed for both public health and environmental monitoring systems

- Understand the problem and set system requirements
- Improve training
- Infuse emerging technologies in realistic settings
- Understand unique environments of various facility types




BAWS July 4, 2001 Esplanade Measurement






MIT/LL Urban Testbed Project Goals

- **Define a system architecture for facility defense using environmental monitors**
- **Understand the natural air composition and the response of existing instruments in those facilities**
- **Develop decision logic methodology that is extensible to other urban defense problems**



Urban Testbed Status

- **Project funding began in June, 2001**
- **Coordination with Boston-area authorities for the past 1-2 years**
 - **MA Bay Transportation Authority (MBTA), Boston Emergency Management Authority (BEMA), MA Emergency Management Authority (MEMA), MA Dept of Public Health, National Guard, Logan airport, others**
- **BAWS measurements at Boston Marathon, July 4th celebration**
- **Measurements in MBTA subway station; sensors being installed in a station.**
 - **Particle counters, airflow, temperature, humidity, train motion.**
 - **Periodic measurements in other locations or with sensors that cannot be installed for long periods.**
- **Develop alerting algorithm approach**
- **Controlled chamber releases**
- **Discussing measurements in other Boston locations**




Subway Protection Considerations

- **Threat has been established**
 - Aum Shinrikyo Tokyo Sarin gas release
 - Numerous entry points and hiding places
 - Train “piston effect” moves air through the system
- **System is spatially distributed**
 - Many low cost sensors preferred over few high cost sensors
 - Release point cannot be anticipated apriori
- **Important to find dual-use applications for system**
- **Principal response actions**
 - Stop trains (plug tunnels?)
 - Activate vent fans?
 - Evacuate and prevent additional access



Station Particle Counts


Particle Counts for 2-5 micron region




Train Traffic significantly alters particle counts


Diurnal Cycle significantly alters particle counts

Particle Counts for 2-5 micron region






Subway effects on Particle Counter Sensors




**Particle counter sensors degrade quickly due to laser optics contamination.
Full instrument sensitivity regained after cleaning.**





Subway Alerting Algorithm Architecture



Multiple sensors required to agree and sensitivity reduced to reduce risk of false alert.




Health Care Provider and Public Health Integration






Merging of Health Care with Defense Against Biological Weapons


- **Concept:**
 - Implement advanced point-of-care diagnostics (including but not limited to gene-chips), into IT networked system
 - Enables rapid determination of biological attack
 - Benefits natural infectious disease diagnosis, effective treatment





Boston Area Agencies with Biodefense Responsibilities





Summary

- **Civilian bioterrorism defense requires that the environment of high-threat locations be well understood**
 - Environment drives sensor & system design
- **Initial testbed being installed at Boston subway station**
- **Measurements to date point out deficiencies of current sensors & software**
- **Modern recognition/data fusion techniques being applied to data**
- **Measurements at additional Boston threat locations under discussion**